

Series 4, Gas hob, 60 cm, Stainless steel PGP6B5K90



HEZ298105 Simmer plate
HEZ298114 Small pot support
HEZ32WA00 Wireless food thermometer

HEZ9SE040 4 pieces Set

HEZ9SE040 4 pieces Set HEZ9SE060 6 pieces Set

The gas hob with dishwasher suitable cast iron pan supports, Ergonomic sword dials, and a Main Switch for precise control.

- Ergonomic sword dials: with raised center for precise adjustments.
- Stainless steel design: The seamless, one-piece stainless steel design makes cleaning simple
- Dishwasher-safe pan supports: Easy, scrub-free cleaning.
- Continuous cast-iron pan support: for high firmness and stability of cookware.
- Safety gas cut-off: ensures safety by instantly cutting off gas supply if the flame goes out.

Appliance type: gas hob	w integrated controls
Built-in / Free-standing:	-
Heating type:	
Number of cooking zones:	
Type of control setting devices:	
Required niche size for installation (HxWxD): 4	5 x 560-560 x 480-490
mm	
Width of the appliance:	582 mm
Dimensions:	51.1x582x520 mm
Dimensions of the packed product (HxWxD):	141 x 651 x 578 mm
Net weight:	9.7 kg
Gross weight:	10.7 kg
Residual heat indicator:	Separate
Location of control panel:	Front
Basic surface material:	Stainless steel
Color of surface:	Stainless steel
Length electrical supply cord:	100.0 cm
EAN code:	4242005484669
Gas connection rating:	7500 W
Fuse protection:	А
Voltage:	220-240 V
Frequency:	50; 60 Hz





Series 4, Gas hob, 60 cm, Stainless steel PGP6B5K90

The gas hob with dishwasher suitable cast iron pan supports, Ergonomic sword dials, and a Main Switch for precise control.

Design

- Stainless steel surface
- Cast iron pan supports

Usage convenience

- Design co-ordinated control dials, front: easily access dials in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the dials to ignite the flame.

Burners and power

- 4 gas burners:
- Left front: standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: high-speed burner up to 3 KW (depending on gas type)
- Right front: economy burner up to 1 KW (depending on gas type)

Cleaning

- Dishwasher suitable pan supports for easy cleaning.

Safety


- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Liquid gas G30,31 28-30/37mbar
- Pre-set for natural gas
- Nozzle set for LPG jets included. Connection to 28-30/37 mbar bottled gas. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 51.1 x 582 x 520
- Required niche size for installation (HxWxD mm) : $45 \times 560 \times (480 490)$
- Min. worktop thickness: 20 mm
- Power cord: 1 m
- Connected load: 7.5 KW



Series 4, Gas hob, 60 cm, Stainless steel PGP6B5K90



measurements in mm