

3-SECTION REFRIGERATED COUNTER, HC SCR-180DG-LRR-RRC-C1 U

Product series: Snowflake GII Item number: 879020861


The Hoshizaki SCR-180DG-LRR-RRC-C1 U is a 3-Section Refrigerated Counter, HC with a net internal volume of 0 $\,$ Ltr.

The Snowflake GII series is brought to you by Japanese and Danish engineering excellence, dedicated to simplifying the day-to-day work routines of kitchen staff all around the world.

The technology behind the performance boost of Snowflake GII is the tropicalized cooling system enduring up to $+40^{\circ}$ C. Additionally, the cooling agent of the new generation of Snowflake is the eco-friendly refrigerant R290, a natural gas (HC) that enhances performance and cuts down energy consumption significantly.

Both interior and exterior are built of anti-corrosion stainless steel, which is among the best choices for hygienic and food-safe cooking environments.

As a product that is designed and built to last, this refrigerated counter combines an innovative design concept, premium materials, and clever extras:



- Both interior and exterior are built of stainless steel which is among the best choices for hygienic and food-safe cooking environments
- Anti-tilt mechanism: extra-long drawers with u-shaped, telescopic rails
- Multiple door-drawer combinations possible
- Removable gaskets make sure you can clean the device thoroughly
- This and other thoughtful extras, such as the cleaning-free condenser, are designed to reduce kitchen cleaning times whilst storing foods protectively in the best possible way

The refrigerant used in all Snowflake GII HC models is R290.

This agent is a natural gas that enhances the performance of the refrigerated counter and has, compared to other refrigerants, a minimal ozone depletion potential. R290 is one of the view refrigerants compliant with the called F-Gas Regulation, issued by the European Commission. This regulation aims to phase out HFCs (Hydrofluorocarbons) as of 2020 to make space for eco-friendlier alternatives and substances, such as HCs (Hydrocarbon), and find more information about the F-Gas regulation here.



SPECIFICATIONS

Product title	3-Section Refrigerated Counter, HC	Connection Load (Watt)	0.19
Temperature Range	-2/+8°C	Energy consumption (kWh/Year)	927
Volume, Gross (Itr.)	500	Energy efficiency class	С
Volume, net (I)	257	Climate Class	5 (max. ambient 40°C w/ 40% RH)
Exterior	Stainless	Legs / Castors	H = 110 mm (C1)
Interior	Stainless	CO2 equivalent (kg)	0.237
Dimensions W x D x H (mm)	1780 x 700 x 856 (with castors)	GN or Tray Size (mm)	1/1 GN
Weight, Packed (kg)	141	Number of shelves	6
Refrigerant	R290	Door Type	Insulated Door
Power Supply	230V, 50 Hz		